

SPRINKLER CLAMP RSC

Quick-fit pipe clamp for fire protection lines

RSC sprinkler clamp provides secure support for sprinkler piping. Designed for quick installation and long-term reliability.



Material





- Steel Grade-E250
- Coating – Electrogalvanized, Hot Dip Galvanized

Key Features & Benefits

- Durable Construction – Made from high-strength steel for long service life.
- Corrosion Resistance – Electrogalvanized, Hot Dip Galvanized finish for protection in humid or wet environments.
- Adjustable Fit – Accommodates a range of pipe diameters for flexible installation.
- Easy Installation – Pre-drilled holes or threaded connections for quick mounting.

Application

- Used to securely support and position sprinkler pipes in commercial, industrial, and residential fire suppression systems.
- Ensures sprinkler heads are maintained in the correct position for optimal spray coverage.



G	Thread Diameter
D	Pipe Diameter
H	Height
b	Breadth
S	Thickness

Product Variants

Item No.	Description	D (mm)	D (inch)	G (mm)	H (mm)	b x s (mm)	Load (kN)	Sales Unit (Pcs)
401001	Sprinkler Clamp RSC 1/2"	23	½	M8	55	20 x 1	3.5	100
401002	Sprinkler Clamp RSC ¾"	28	¾	M8	61	20 x 1	3.5	100
401003	Sprinkler Clamp RSC 1"	35	1	M8	70	20 x 1	3.5	100
401004	Sprinkler Clamp RSC 1 ¼"	42	1¼	M8	78	20 x 1.2	3.5	100
401005	Sprinkler Clamp RSC 1 ½"	50	1½	M8	84	20 x 1.2	3.5	100
401006	Sprinkler Clamp RSC 2"	62	2	M8	102	20 x 1.2	3.5	50
401007	Sprinkler Clamp RSC 2 ½"	75	2½	M10	118	25 x 1.5	5	50
401008	Sprinkler Clamp RSC 3"	91	3	M10	144	25 x 1.5	5	50
401009	Sprinkler Clamp RSC 4"	115	4	M10	176	25 x 1.5	5	25
401010	Sprinkler Clamp RSC 5"	142	5	M12	220	40 x 1.5	5	25
401011	Sprinkler Clamp RSC 6"	169	6	M12	250	40 x 1.5	5	25
401012	Sprinkler Clamp RSC 8"	220	8	M12	305	40 X 2.0	8	10
401013	Sprinkler Clamp RSC 10"	274	10	M12	360	40 X 2.0	8	10

RISE DBS Private Limited

Bannerghatta Road, Bangalore,
Bangalore South, Karnataka,
India, 560076



Contact us

info@rise-dbs.com | www.rise-dbs.com