

LINE D U BOLT RUBL

U-bolt clamp for secure mounting with lining

RUBL U-bolt ensures strong, uniform grip and vibrational resistance on round pipes. Commonly used for mechanical supports.



Material



- Steel Grade-MS 4.8
- Coating - Electro galvanized, Hot Dip Galvanized

Key Features & Benefits

- Available in multiple diameters and thread sizes to suit different pipe sizes.
- Supplied with matching nuts and washers for secure fastening.
- Available in Electro galvanized, Hot Dip Galvanized finishes.
- EPDM lining prevents vibrations.

Application

- Designed for securing and supporting pipes, tubes, and conduits to structural members or surfaces.



d	Thread Diameter
D	Pipe Diameter
L	Overall Length
L1	Threaded Length
B	Clamping Span

Product Variants

Item No.	Description	Thread Size d (mm)	D (mm)	L (mm)	L1 (mm)	Sales Unit (Pcs)
401450	Lined U Bolt RUBL ½"	8	21.3	65	40	50
401451	Lined U Bolt RUBL ¾"	8	26.7	77	40	50
401452	Lined U Bolt RUBL 1"	8	33.4	85	50	50
401453	Lined U Bolt RUBL 1 ¼"	8	42.1	93	50	50
401454	Lined U Bolt RUBL 1 ½"	8	48.2	100	50	50
401455	Lined U Bolt RUBL 2"	8	60.3	110	50	25
401456	Lined U Bolt RUBL 2 ½"	10	73	127	50	25
401457	Lined U Bolt RUBL 3"	10	88.9	140	50	25
401458	Lined U Bolt RUBL 4"	10	114.3	165	50	10
401459	Lined U Bolt RUBL 5"	12	141.3	190	50	10
401460	Lined U Bolt RUBL 6"	12	168.3	220	50	10
401461	Lined U Bolt RUBL 8"	12	219.1	295	75	5
401462	Lined U Bolt RUBL 10"	12	273	370	100	5
401463	Lined U Bolt RUBL 12"	12	323.8	420	100	1
401464	Lined U Bolt RUBL 14"	16	355.6	455	100	1
401465	Lined U Bolt RUBL 16"	16	406.4	505	100	1
401466	Lined U Bolt RUBL 18"	20	457.2	555	100	1
401467	Lined U Bolt RUBL 20"	20	508.2	605	100	1
401468	Lined U Bolt RUBL 24"	20	609.6	710	100	1

* Customized thread lengths available on request.

RISE DBS Private Limited

Bannerghatta Road, Bangalore,
Bangalore South, Karnataka,
India, 560076



Contact us

info@rise-dbs.com | www.rise-dbs.com