

# LINED SPRINKLER CLAMP RSCL

## Quick-fit pipe clamp for fire protection lines with lining

RSCL sprinkler clamp provides secure, vibration-free support for sprinkler and HVAC piping. Designed for quick installation and long-term reliability.



### Material



- Steel Grade-E250
- Coating - Electrogalvanized, Hot Dip Galvanized

### Key Features & Benefits

- Durable Construction – Made from high-strength steel for long service life.
- Corrosion Resistance – Electrogalvanized, Hot Dip Galvanized finish for protection in humid or wet environments.
- Adjustable Fit – Accommodates a range of pipe diameters for flexible installation.
- Easy Installation – Pre-drilled holes or threaded connections for quick mounting.
- Vibration resistance – Reduces the transmission of vibrations from one surface to another.

### Application

- Used to provide secure, vibration-free support for sprinkler and HVAC piping in commercial, industrial, and residential fire suppression systems.
- Ensures sprinkler heads are maintained in the correct position for optimal spray coverage.



|   |                 |
|---|-----------------|
| G | Thread Diameter |
| D | Pipe Diameter   |
| H | Height          |
| b | Breadth         |
| s | Thickness       |



# Product Variants

| Item No. | Description                     | D (mm) | D (inch) | G (mm) | H (mm) | b x s (mm) | Load (kN) | Sales Unit (Pcs) |
|----------|---------------------------------|--------|----------|--------|--------|------------|-----------|------------------|
| 401020   | Lined Sprinkler Clamp RSCL 1/2" | 23     | ½        | M8     | 55     | 20 x 1     | 3.5       | 100              |
| 401021   | Lined Sprinkler Clamp RSCL ¾"   | 28     | ¾        | M8     | 61     | 20 x 1     | 3.5       | 100              |
| 401022   | Lined Sprinkler Clamp RSCL 1"   | 35     | 1        | M8     | 70     | 20 x 1     | 3.5       | 100              |
| 401023   | Lined Sprinkler Clamp RSCL 1 ¼" | 42     | 1¼       | M8     | 78     | 20 x 1.2   | 3.5       | 100              |
| 401024   | Lined Sprinkler Clamp RSCL 1 ½" | 50     | 1½       | M8     | 84     | 20 x 1.2   | 3.5       | 100              |
| 401025   | Lined Sprinkler Clamp RSCL 2"   | 62     | 2        | M8     | 102    | 20 x 1.2   | 3.5       | 50               |
| 401026   | Lined Sprinkler Clamp RSCL 2 ½" | 75     | 2½       | M10    | 118    | 25 x 1.5   | 5.0       | 50               |
| 401027   | Lined Sprinkler Clamp RSCL 3"   | 91     | 3        | M10    | 144    | 25 x 1.5   | 5.0       | 50               |
| 401028   | Lined Sprinkler Clamp RSCL 4"   | 115    | 4        | M10    | 176    | 25 x 1.5   | 5.0       | 25               |
| 401029   | Lined Sprinkler Clamp RSCL 5"   | 142    | 5        | M12    | 220    | 40 x 1.5   | 5.0       | 25               |
| 401030   | Lined Sprinkler Clamp RSCL 6"   | 169    | 6        | M12    | 250    | 40 x 1.5   | 5.0       | 25               |
| 401031   | Lined Sprinkler Clamp RSCL 8"   | 220    | 8        | M12    | 305    | 40 X 2.0   | 8.0       | 10               |
| 401032   | Lined Sprinkler Clamp RSCL 10"  | 274    | 10       | M12    | 360    | 40 X 2.0   | 8.0       | 10               |

**RISE DBS Private Limited**

Bannerghatta Road, Bangalore,  
Bangalore South, Karnataka,  
India, 560076



**Contact us**

**[info@rise-dbs.com](mailto:info@rise-dbs.com) | [www.rise-dbs.com](http://www.rise-dbs.com)**