

U BOLT RUB


Classic U-bolt clamp for secure mounting

RUB U-bolt ensures strong, uniform grip on round pipes. Commonly used for mechanical supports.



Application

- Designed for securing and supporting pipes, tubes, and conduits to structural members or surfaces.




Material

- Steel Grade-MS 4.8
- Coating - Electrogalvanized, Hot Dip Galvanized

Key Features & Benefits

- Available in multiple diameters and thread sizes to suit different pipe sizes.
- Supplied with matching nuts and washers for secure fastening.
- Available in zinc-plated and hot-dip galvanized finishes.



d	Thread Diameter
D	Pipe Diameter
L	Overall Length
L1	Threaded Length
B	Clamping Span

Product Variants

Item No.	Description	Thread Size d (mm)	D (mm)	L (mm)	L1 (mm)	Sales Unit (Pcs)
401401	U Bolt RUB ½"	8	21.3	65	40	50
401402	U Bolt RUB ¾"	8	26.7	77	40	50
401403	U Bolt RUB 1"	8	33.4	85	50	50
401404	U Bolt RUB 1 ¼"	8	42.1	93	50	50
401405	U Bolt RUB 1 ½"	8	48.2	100	50	50
401406	U Bolt RUB 2"	8	60.3	110	50	25
401407	U Bolt RUB 2 ½"	10	73	127	50	25
401408	U Bolt RUB 3"	10	88.9	140	50	25
401409	U Bolt RUB 4"	10	114.3	165	50	10
401410	U Bolt RUB 5"	12	141.3	190	50	10
401411	U Bolt RUB 6"	12	168.3	220	50	10
401412	U Bolt RUB 8"	12	219.1	295	75	5
401413	U Bolt RUB 10"	12	273	370	100	5
401414	U Bolt RUB 12"	12	323.8	420	100	1
401415	U Bolt RUB 14"	16	355.6	455	100	1
401416	U Bolt RUB 16"	16	406.4	505	100	1
401417	U Bolt RUB 18"	20	457.2	555	100	1
401418	U Bolt RUB 20"	20	508.2	605	100	1
401419	U Bolt RUB 24"	20	609.6	710	100	1

* Customized thread length available on request.

RISE DBS Private Limited
Bannerghatta Road, Bangalore,
Bangalore South, Karnataka,
India, 560076



Contact us

info@rise-dbs.com | www.rise-dbs.com